PUBLIC
ÖFFENTLICH

PORSCHE

Porsche VDA 4984 T2 Delivery call-off

VDA 2.1
PAG 2.0

© Volkswagen Aktiengesellschaft

Table of Content

Introduction 3
Aim 3
References 3
Volkswagen Group 3
VDA (Association of Automotive Industry) 3
Odette International 3
Legend 4
Messagetype 5
Segment details 8

© Volkswagen Aktiengesellschaft

Introduction

This user manual describes the specific aspects of VDA recommendation 4984 for Porsche's detailed and delivery calls.

This recommendation is valid for all Porsche plants. In addition, the regulations of the VDA recommendation apply.

Aim

This guideline describes the different forms of Porsche's detailed and delivery calls.

References

The following are links to further information on the topic

VOLKSWAGEN GROUP

http://www.vwgroupsupply.com/one-kbp-pub/de/kbp_public/information/electronic_data_interchange/electronic_data_interchange.html

VDA (Association of Automotive Industry)

4984 - Data transfer of Delivery Instructions V3.0 2022-03

Odette International

http://www.odette.org/publications

© Volkswagen Aktiengesellschaft

Legend

Format

a..9 alphabetic, variable length, 1 to 9 characters

n..9 numeric, variable length, 1 to 9 digits, without leading zeros

an..9 alphanumeric, variable length, 1 to 9 characters, without following spaces

a9 alpabetic, fixed length, 9 characters

n9 numeric, fixed length, 9 digits, with leading zeros if applicable

an9 alphanumeric fixed length, 9 characters, with following spaces if applicable

EDIFACT-Status

M Mandatory

C Conditional

VW-Status

R Required

O Optional

D Depending

A Advised

N Not used

M and R mean in both cases „Mandatory“.

C and O mean in both cases „Conditional“.

D means a conditional „Mandatory“. It has to be transmitted depending on another information within the message.

© Volkswagen Aktiengesellschaft

Message type

Tag	No	St	MaxOcc	Name
UNA	1	O	1	Service string advice `UNA:+.? '`
UNB	2	M	1	Interchange header `UNB+UNOC:3+O0013000018PORSCHE-SPI:59:PL3+987654321:1:X+071205:1446+144659++++++1'`
UNH	3	M	1	Message header `UNH+123456+DELFOR:D:04A:UN:GAVB11'`
BGM	4	M	1	Beginning of message `BGM+241:::PAG-FAB+1446591+9'`
DTM	5	M	1	Document Issue Date `DTM+137:20140523:102'`
DTM	6	R	1	Type of instruction `DTM+2'`
FTX	7	O	5	Information Text `FTX+AAI+++Legal Notice'`
SG2		R	1	Buyer / Customer
NAD	8	M	1	Buyer's Name and Address `NAD+BY+88012::91++Dr. Ing. h. c. F. Porsche AG:::X+Porscheplatz 1+Zuffenhausen++70435+DE'`
SG3		O	1	Additional Party ID (DUNS)
RFF	9	M	1	DUNS no. `RFF+ANK:995231145'`
SG2		R	1	Seller / Supplier
NAD	10	M	1	Seller's Name and Address `NAD+SE+0000128317::92++Auto Parts GmbH+Vorm Anger 3+Augsburg++86150+DE'`
SG3		O	1	DUNS number
RFF	11	M	1	DUNS number `RFF+ANK:963852258'`
SG2		O	1	Ship from
NAD	12	M	1	Ship from's Name and Address `NAD+SF+0000128317::92++Auto Parts GmbH:X::X+Am Anger 3:X+Augsburg++86150+DE'`
SG3		O	1	Additional Party ID (DUNS)
RFF	13	M	1	Reference `RFF+ANK:963852258'`
SG6		R	9999	Ship to level
GEI	14	M	1	Processing information `GEI+3+37'`

No = Consecutive segment number in the guide, MaxOcc = Maximum occurency of the segment/groups, St = Status (M/R=Mandatory/Required, C/O=Optional, D=Depending, A=Advised, N=Not used)

© Volkswagen Aktiengesellschaft

Tag	No	St	MaxOcc	Name
SG7		R	1	Ship to
NAD	15	M	1	Ship to **NAD+ST+11::92++Dr. Ing. h. c. F. Porsche AG+Porscheplatz 1+Zuffenhausen++70435+DE'**
LOC	16	R	1	Place of Discharge / Unloading Point **LOC+11+UPSOR::92:X'**
LOC	17	R	1	Internal destination (storage location) **LOC+7+D::92:Freiberg'**
SG8		O	1	DUNS number
RFF	18	M	1	DUNS number **RFF+ANK:321549214'**
SG12		R	9999	Scheduled Article Details
LIN	19	M	1	Article number assigned by the buyer. **LIN+1++9GT.863.411.B:IN'**
PIA	20	O	1	Articel number assigned by the seller **PIA+1+HZOK3:SA'**
IMD	21	O	10	Item short description **IMD+F++11::272:Außenspiegel::DE'**
LOC	22	O	1	Consumption point **LOC+159+7608SWIJ1VERKU::92'**
FTX	23	O	5	Article text **FTX+LIN+++Sonderlackierung+DE'**
FTX	24	O	5	General information text **FTX+AAI+++Mustertext+DE'**
SG13		R	1	Order number
RFF	25	M	1	Order number **RFF+ON:0000006'**
SG13		R	1	Delivery instruction number new
RFF	26	M	1	Delivery instruction number new **RFF+AAN:000000002'**
DTM	27	O	1	Delivery instruction date **DTM+171:20040528:102'**
SG13		R	1	Delivery instruction number old
RFF	28	M	1	Delivery instruction number old **RFF+AIF:000000001'**
DTM	29	O	1	Delivery instruction date **DTM+171:20040528:102'**
SG14		O	1	Article related contact information
CTA	30	M	1	Contact information **CTA+SC+NA4FA:Franz Meier'**

No = Consecutive segment number in the guide, MaxOcc = Maximum occurency of the segment/groups, St = Status (M/R=Mandatory/Required, C/O=Optional, D=Depending, A=Advised, N=Not used)

© Volkswagen Aktiengesellschaft

Tag	No	St	MaxOcc	Name
COM	31	O	5	Communication contact **COM+?+49-5361-933000:TE'**
SG16		O	1	Cumulative quantity received
QTY	32	M	1	Cumulative quantity received **QTY+70:100000:PCE'**
DTM	33	O	2	Cumulative quantity date(s) **DTM+51:20050101:102'**
SG16		O	1	Cumulative quantity received at the end of the previous period (set back to zero)
QTY	34	M	1	Cumulative quantity received at the end of the previous period (set back to zero) **QTY+72:50000:PCE'**
DTM	35	O	2	Cumulative quantity date until set back to zero **DTM+52:20050101:102'**
SG16		O	3	Most recent arrival(s) of goods
QTY	36	M	1	The most recent arrival(s) of goods **QTY+194:10000:PCE'**
DTM	37	C	2	Date/time/period **DTM+50:20130701:102'**
SG17		O	1	Last received delivery note number
RFF	38	M	1	Last received delivery note number **RFF+AAU:12345'**
DTM	39	O	1	Delivery note date **DTM+171:20120831:102'**
SG18		D	999	Scheduling data
SCC	40	M	1	Scheduling data **SCC+24'**
SG19		R	999	Scheduled quantity
QTY	41	M	1	Quantity **QTY+113:4500:PCE'**
DTM	42	R	2	Scheduled date(s) **DTM+2:20120906:102'**
UNT	43	M	1	Message trailer **UNT+49+123456'**
UNZ	44	M	1	Interchange trailer **UNZ+1+144659'**

No = Consecutive segment number in the guide, MaxOcc = Maximum occurency of the segment/groups, St = Status (M/R=Mandatory/Required, C/O=Optional, D=Depending, A=Advised, N=Not used)

© Volkswagen Aktiengesellschaft

Segment details

UNA No 1 Status O MaxOcc 1 **Service string advice**

	St	Format	Usage	Example
UNA				UNA
UNA1	M	an1	**Component data element separator** Colon	:
UNA2	M	an1	**Data element separator** Plus sign	+
UNA3	M	an1	**Decimal notation** Full stop	.
UNA4	M	an1	**Release indicator** Question mark	?
UNA5	M	an1	**Reserved for future use** Blank	
UNA6	M	an1	**Segment terminator** Apostroph	'

Comment:

Example: `UNA:+.? '`

No = Consecutive segment number in the guide, MaxOcc = Maximum occurency of the segment/groups, St = Status (M/R=Mandatory/Required, C/O=Optional, D=Depending, A=Advised, N=Not used)

© Volkswagen Aktiengesellschaft

UNB

No 2
Status M
MaxOcc 1

Interchange header

	St	Format	Usage	Example
UNB				UNB
S001	M		**Syntax identifier**	
0001	M	a4	**Syntax identifier** **UNOA UN/ECE level A** **UNOB UN/ECE level B** **UNOC UN/ECE level C** **UNOD UN/ECE level D**	+UNOC
0002	M	n1	**Syntax version number** **2 Version 2** **3 Version 3**	:3
S002	M		**Interchange sender**	
0004	M	an..35	**Sender identification** Unique ID of the sender in the data transmission network or system.	+O0013000018PORSCHE-SPI
0007	O	an..4	**Partner identification code qualifier**	:59
0008	O	an..14	**System reference** Original ERP system in the Volkswagen Group with which the message contents were generated.	:PL3
S003	M		**Interchange recipient**	
0010	M	an..35	**Recipient identification** Unique ID of the receiver in the data transmission network or system.	+987654321
0007	O	an..4	**Partner identification code qualifier**	:1
0014	C	an..14	**Routing address**	:X
S004	M		**Date/time of preparation**	
0017	M	n6	**Date of preparation** Format YYMMDD	+071205
0019	M	n4	**Time of preparation** Format HHMM	:1446
0020	M	an..14	**Interchange control reference** Unique ID of an interchange. The ID is equal to BGM C106 1004 without counter	+144659
S005	N			
0022	N		Not used	+
0026	N		Not used	+
0029	N		Not used	+
0031	N		Not used	+
0032	N		Not used	+
0035	O	n1	**Test indicator** **1 Interchange is a test** Only to be used, if the interchange is for test purposes. Omit this data element for valid interchanges.	+1'

Comment:

Example: `UNB+UNOC:3+O0013000018PORSCHE-SPI:59:PL3+987654321:1:X+071205:1446+144659++++++1'`

© Volkswagen Aktiengesellschaft

UNH

No 3
Status M
MaxOcc 1

Message header

	St	Format	Usage	Example
UNH				UNH
0062	M	an..14	**Message reference number**	+123456
S009	M		**Message identifier**	
0065	M	an..6	**Message type** **DELFOR Delivery schedule message**	+DELFOR
0052	M	an..3	**Message version number** **D Draft version/UN/EDIFACT Directory**	:D
0054	M	an..3	**Message release number** **04A Release 2004 - A**	:04A
0051	M	an..2	**Controlling agency** **UN UN/CEFACT**	:UN
0057	R	an..6	**Association assigned code** Identification of the subset release, assigned by the responsible organisation **GAVB21 VDA DELFOR Version 2.1**	:GAVB11'

Comment:

Example: UNH+123456+DELFOR:D:04A:UN:GAVB11'

© Volkswagen Aktiengesellschaft

BGM

No 4
Status M
MaxOcc 1

Beginning of message

	St	Format	Usage	Example
BGM				BGM
C002	R		**Document/message name**	
1001	R	an..3	**Document name code** **236 Delivery forecast** **241 Delivery schedule** **242 Delivery just-in-time** Code 236 - message contains only forecasting figures Code 241 - message contains forecasting and firm figures (combination of firm instructions and forecasting figures) Code 242 - message contains daily call-off data in the near future (5..max. 18 days) If a message is qualified as forecast, it serves solely as non-binding forecast information. There is NO purchase commitment connected to such message. A message qualified with 242 must always be preceded by a message qualified with 241.	+241
1131	N		Not used	:
3055	O	an..3	**Code list responsible agency code** **6 UN/ECE (United Nations - Economic Commission for Europe)** Code specifying the agency responsible for a code list.	:
1000	R	an..35	**Process indicator** In the DE 1000 the reference to the according delivery process is transmitted. Currently the following code/processes are used. **PAG-LAB Porsche Delivery call-off ((BGM DE1001 = 236 or 241)** **PAG-FAB Porsche daily delivery call-off**	:PAG-FAB
C106	R		**Document/message identification**	
1004	R	an..35	**Document identifier** Unique identifier of a document. Synonym: document number Number from UNB 0020 enlarged by a counter of messages in the interchange. Each interchange restarts with "1". Example: UNB 1000 = BGM 1000n = 10001	+1446591
1225	O	an..3	**Message function code** **9 Original** Code indicating the function of the document.	+9'

Comment: The following combinations BGM DE 1001 and DE 1000 are possible.

BGM+241:::PAG-LAB+231234+9' = Delivery call-off - DTM+2 = Delivery date
BGM+236:::PAG-LAB+231234+9' = delivery schedule - DTM+2 = Delivery date and DTM+64 = earliest delivery date and DTM+63 = latest delivery date
BGM+242:::PAG-FAB+231234+9' = Detailed call-off - DTM+2 = Delivery date

Example: BGM+241:::PAG-FAB+1446591+9'

© Volkswagen Aktiengesellschaft

DTM

No 5
Status M
MaxOcc 1

Document Issue Date

	St	Format	Usage	Example
DTM				DTM
C507	M		**Date/time/period**	
2005	M	an..3	**Date or time or period function code qualifier** **137 Document/message date/time**	+137
2380	R	an..35	**Date or time or period text** Date on which a document or business signal was issued.	:20140523
2379	O	an..3	**Date or time or period format code** **102 CCYYMMDD** **203 CCYYMMDDHHMM**	:102'

Comment:

Example: DTM+137:20140523:102'

© Volkswagen Aktiengesellschaft

DTM

No 6
Status R
MaxOcc 1

Type of instruction

	St	Format	Usage	Example
DTM				DTM
C507	M		**Date/time/period**	
2005	M	an..3	**Date or time or period function code qualifier** **2 Delivery date/time, requested** **10 Shipment date/time, requested** Code 2 indicates that all dates in this delivery instruction are delivery dates (goods arriving at destination) Code 10 indicates that all dates in this delivery instruction are shipping- (pick-up) dates. The subsequent DTM segments in the delivery schedules (SG 18) must be qualified accordingly.	+2'

Comment:

Example: DTM+2'

© Volkswagen Aktiengesellschaft

FTX

No 7
Status O
MaxOcc 5

Information Text

	St	Format	Usage	Example
FTX				`FTX`
4451	M	an..3	**Text subject code qualifier** **AAI General information**	`+AAI`
4453	N		Not used	`+`
C107	N			
4441	N		Not used	`+`
C108	R		**Text literal**	
4440	M	an..256	**Free text** A line of plain, non-structured text information.	`+Legal Notice`
4440	O	an..256	**Free text** see 4440#1	`:`
4440	O	an..256	**Free text** see 4440#1	`:`
4440	O	an..256	**Free text** see 4440#1	`:`
4440	O	an..256	**Free text** see 4440#1	`:`
3453	O	an..3	**Language name code** Code specifying the language name. Use ISO 639-1988.	`+'`

Comment: General information text

Example: `FTX+AAI+++Legal Notice'`

© Volkswagen Aktiengesellschaft

SG2	Status	R
	MaxOcc	1

Buyer / Customer

NAD	No	8
	Status	M
	MaxOcc	1

Buyer's Name and Address

	St	Format	Usage	Example
NAD				NAD
3035	M	an..3	**Party function code qualifier** **BY Buyer**	+BY
C082	R		**Party identification details**	
3039	M	an..35	**Party identifier** Unique identification of a party by an ID. Two variants are possible. - The customer reference number assigned by a seller to Volkswagen Group company or location. - A placeholder for the individual branch or location: Example: VW, VWGoA, Audi etc.	+88012
1131	N		Not used	:
3055	R	an..3	**Code list responsible agency code** Code specifying the agency responsible for a code list. **91 Assigned by seller or seller's agent** **92 Assigned by buyer or buyer's agent**	:91
C058	N			
3124	M	an..35	**Name and address description**	+
C080	O		**Party name**	
3036	M	an..35	**Party name** Single text line for specification of a name	+Dr. Ing. h. c. F. Porsche AG
3036	O	an..35	**Party name** see 3036#1	:
3036	O	an..35	**Party name** see 3036#1	:
3036	O	an..35	**Party name** see 3036#1	:X
C059	O		**Street**	
3042	M	an..35	**Street and number or post office box identifier** The name that identifies the location of a house or building: usually within a street as part of an address.	+Porscheplatz 1
3042	O	an..35	**Street and number or post office box identifier** see 3042#1	:
3164	O	an..35	**City name** The name of the city, town, or village of this address.	+Zuffenhausen
C819	O		**Country sub-entity details**	
3229	R	an..9	**Country sub-entity name code** State or region within a country. The use of UN LoCodes is recommended.	+
3251	O	an..17	**Postal identification code** The identifier for one or more properties according to the postal service of that country.	+70435
3207	O	an..3	**Country name code** Provides the country part of an address using a code. Use ISO3166 two alpha code.	+DE'

Comment: Party to whom merchandise and/or service is sold.

Example: `NAD+BY+88012::91++Dr. Ing. h. c. F. Porsche AG:::X+Porscheplatz 1`

No = Consecutive segment number in the guide, MaxOcc = Maximum occurency of the segment/groups, St = Status (M/R=Mandatory/Required, C/O=Optional, D=Depending, A=Advised, N=Not used)

© Volkswagen Aktiengesellschaft

```
+Zuffenhausen++70435+DE'
```


© Volkswagen Aktiengesellschaft

SG2	Status R MaxOcc 1	**Buyer / Customer**
SG3	Status O MaxOcc 1	**Additional Party ID (DUNS)**
RFF	No 9 Status M MaxOcc 1	**DUNS no.**

	St	Format	Usage	Example
RFF				**RFF**
C506	M		**Reference**	
1153	M	an..3	**Reference code qualifier** **ANK Reference number assigned by third party**	**+ANK**
1154	R	n9	**Reference identifier** DUNS number	**:995231145'**

Comment:

Example: **RFF+ANK:995231145'**

© Volkswagen Aktiengesellschaft

SG2	Status	R	Seller / Supplier
	MaxOcc	1	
NAD	No	10	**Seller's Name and Address**
	Status	M	
	MaxOcc	1	

	St	Format	Usage	Example
NAD				NAD
3035	M	an..3	**Party function code qualifier** **SE Seller**	+SE
C082	R		**Party identification details**	
3039	M	an..10	**Party identifier** Local supplier number of the supplier assigned by a VW group company.	+0000128317
1131	N		Not used	:
3055	R	an..3	**Code list responsible agency code** Code specifying the agency responsible for a code list. **92 Assigned by buyer or buyer's agent**	:92
C058	N			
3124	N		Not used	+
C080	O		**Party name**	
3036	M	an..35	**Party name** Single text line for specification of a name	+Auto Parts GmbH
3036	O	an..35	**Party name** see 3036#1	:
3036	O	an..35	**Party name** see 3036#1	:
3036	O	an..35	**Party name** see 3036#1	:
C059	O		**Street**	
3042	M	an..35	**Street and number or post office box identifier** The name that identifies the location of a house or building: usually within a street as part of an address.	+Vorm Anger 3
3042	O	an..35	**Street and number or post office box identifier** see 3042#1	:
3164	O	an..35	**City name** The name of the city, town, or village of this address.	+Augsburg
C819	O		**Country sub-entity details**	
3229	R	an..9	**Country sub-entity name code** State or region within a country. The use of UN LoCodes is recommended.	+
3251	O	an..17	**Postal identification code** The identifier for one or more properties according to the postal service of that country; a group of letters and/or numbers added to the postal address to assist in the sorting of mail.	+86150
3207	O	an..3	**Country name code** Provides the country part of an address using a code. Use ISO3166 two alpha code.	+DE'

Comment:

Example: `NAD+SE+0000128317::92++Auto Parts GmbH+Vorm Anger 3+Augsburg++86150+DE'`

© Volkswagen Aktiengesellschaft

SG2	Status R MaxOcc 1	**Seller / Supplier**
SG3	Status O MaxOcc 1	**DUNS number**
RFF	No 11 Status M MaxOcc 1	**DUNS number**

	St	Format	Usage	Example
RFF				`RFF`
C506	M		**Reference**	
1153	M	an..3	**Reference code qualifier** **ANK Reference number assigned by third party**	`+ANK`
1154	R	n9	**Reference identifier** DUNS number	`:963852258'`

Comment:

Example: `RFF+ANK:963852258'`

© Volkswagen Aktiengesellschaft

SG2	Status	O	**Ship from**
	MaxOcc	1	
NAD	No	12	**Ship from's Name and Address**
	Status	M	
	MaxOcc	1	

	St	Format	Usage	Example
NAD				NAD
3035	M	an..3	**Party function code qualifier** **SF Ship from**	+SF
C082	R		**Party identification details**	
3039	M	an..35	**Party identifier** Unique identification of a party by an ID.	+0000128317
1131	N		Not used	:
3055	R	an..3	**Code list responsible agency code** Code specifying the agency responsible for a code list. **91 Assigned by seller or seller's agent** **92 Assigned by buyer or buyer's agent**	:92
C058	N			
3124	N		Not used	+
C080	O		**Party name**	
3036	M	an..35	**Party name** Single text line for specification of a name	+Auto Parts GmbH
3036	O	an..35	**Party name** see 3036#1	:X
3036	O	an..35	**Party name** see 3036#1	:
3036	O	an..35	**Party name** see 3036#1	:X
C059	O		**Street**	
3042	M	an..35	**Street and number or post office box identifier** The name that identifies the location of a house or building: usually within a street as part of an address.	+Am Anger 3
3042	O	an..35	**Street and number or post office box identifier** see 3042#1	:X
3164	O	an..35	**City name** The name of the city, town, or village of this address.	+Augsburg
C819	O		**Country sub-entity details**	
3229	R	an..9	**Country sub-entity name code** State or region within a country. The use of UN LoCodes is recommended.	+
3251	O	an..17	**Postal identification code** The identifier for one or more properties according to the postal service of that country.	+86150
3207	O	an..3	**Country name code** Provides the country part of an address using a code. Use ISO3166 two alpha code.	+DE'

Comment: The party which consigns or sends goods.

Example: `NAD+SF+0000128317::92++Auto Parts GmbH:X::X+Am Anger 3:X+Augsburg ++86150+DE'`

© Volkswagen Aktiengesellschaft

SG2	Status O MaxOcc 1	**Ship from**
SG3	Status O MaxOcc 1	**Additional Party ID (DUNS)**
RFF	No 13 Status M MaxOcc 1	**Reference**

	St	Format	Usage	Example
RFF				**RFF**
C506	M		**Reference**	
1153	M	an..3	**Reference code qualifier** **ANK Reference number assigned by third party**	**+ANK**
1154	R	n9	**Reference identifier** DUNS number	**:963852258'**

Comment: This segment can be used to transmit the DUNS number in addition to the customer number or the supplier number-

Example: **RFF+ANK:963852258'**

© Volkswagen Aktiengesellschaft

SG6	Status	R	**Ship to level**
	MaxOcc	9999	
GEI	No	14	**Processing information**
	Status	M	
	MaxOcc	1	

	St	Format	Usage	Example
GEI				GEI
9649	M	an..3	**Processing information code qualifier** **3 Scheduling type information**	+3
C012	R		**Processing indicator**	
7365	R	an..3	**Processing indicator description code** For Daily Delivery Call-offs the according period of the Delivery instruction/Call-off is overwritten. Nur für Feinabrufe der Porsche AG! 36=Nur die Daten im Horizont werden überschrieben (nur zulässig für FAB-Verfahren) **37 Complete information** The delivery instruction data replace all previously sent information completely (applicable for forecast and delivery instruction process - LAB) Only for daily call-offs of Porsche AG! 36=Only the data within the horizon (effective from - effective to date) are replaced (only applicable for the FAB process) **36 Changed information**	+37'

Comment: This level gives the delivery instruction details (schedule dates, scheduled quantities etc.) for one individual ship-to party e.g. a plant in a delivery instruction or forecast.

The VDA recommendation is based on the following principles:

1. A new delivery instruction (DE 1001 in BGM contains code 236, 240 or 241) replaces all data of the previous delivery instruction.
2. A call-off delivery instruction (DE 1001 in BGM contains code 242) replaces the data for the effective period (effective from .. effective to date), all other data of the delivery instruction remain valid.
3. A separate deliver instruction has to be generated as soon as on of the following parameter changes:
a) the ship to party
b) the place of discharge
c) the order number (frame contract)
d) the article/part number

Consequently according to this logic a new SG6 with the trigger segment GEI must be generated as soon as the ship to or place of discharge (always transmitted at ship to level in SG7) changes. If one of the other parameters changes, an new SG12 with the trigger segment LIN is sufficient.

Example: GEI+3+37'

© Volkswagen Aktiengesellschaft

SG6	Status MaxOcc	R 9999	**Ship to level**
SG7	Status MaxOcc	R 1	**Ship to**
NAD	No Status MaxOcc	15 M 1	**Ship to**

	St	Format	Usage	Example
NAD				NAD
3035	M	an..3	**Party function code qualifier** **ST Ship to**	+ST
C082	R		**Party identification details**	
3039	M	an..3	**Party identifier** Plant number	+11
1131	N		Not used	:
3055	R	an..3	**Code list responsible agency code** Code specifying the agency responsible for a code list. **92 Assigned by buyer or buyer's agent**	:92
C058	C		**Name and address**	
3124	M	an..35	**Name and address description**	+
C080	O		**Party name**	
3036	M	an..35	**Party name** Single text line for specification of a name	+Dr. Ing. h. c. F. Porsche AG
3036	O	an..35	**Party name** see 3036#1	:
3036	O	an..35	**Party name** see 3036#1	:
3036	O	an..35	**Party name** see 3036#1	:
C059	O		**Street**	
3042	M	an..35	**Street and number or post office box identifier** The name that identifies the location of a house or building: usually within a street as part of an address.	+Porscheplatz 1
3042	O	an..35	**Street and number or post office box identifier** see 3042#1	:
3164	O	an..35	**City name** The name of the city, town, or village of this address.	+Zuffenhausen
C819	O		**Country sub-entity details**	
3229	R	an..9	**Country sub-entity name code** State or region within a country. The use of UN LoCodes is recommended.	+
3251	O	an..17	**Postal identification code** The identifier for one or more properties according to the postal service of that country.	+70435
3207	O	an..3	**Country name code** Provides the country part of an address using a code. Use ISO3166 two alpha code.	+DE'

Comment: The party to which goods are to be shipped (consigned).

Example: `NAD+ST+11::92++Dr. Ing. h. c. F. Porsche AG+Porscheplatz 1+Zuffenhausen++70435+DE'`

© Volkswagen Aktiengesellschaft

SG6	Status R MaxOcc 9999	**Ship to level**
SG7	Status R MaxOcc 1	**Ship to**
LOC	No 16 Status R MaxOcc 1	**Place of Discharge / Unloading Point**

	St	Format	Usage	Example
LOC				LOC
3227	M	an..3	**Location function code qualifier** **11 Place/port of discharge**	+11
C517	R		**Location identification**	
3225	O	an..5	**Location name code**	+UPSOR
1131	N		Not used	:
3055	O	an..3	**Code list responsible agency code** **92 Assigned by buyer or buyer's agent** Code specifying the agency responsible for a code list.	:92
3224	O	an..256	**Location name** Is tranmitted only by Porsche AG! Name of place of discharge, other than city name.	:X'

Comment:

Example: `LOC+11+UPSOR::92:X'`

© Volkswagen Aktiengesellschaft

SG6	Status R MaxOcc 9999	**Ship to level**
SG7	Status R MaxOcc 1	**Ship to**
LOC	No 17 Status R MaxOcc 1	**Internal destination (storage location)**

	St	Format	Usage	Example
LOC				`LOC`
3227	M	an..3	**Location function code qualifier** **7 Place of delivery**	`+7`
C517	R		**Location identification**	
3225	R	an..3	**Location name code** Identifier / code specifying the name of a location.	`+D`
1131	N		Not used	`:`
3055	O	an..3	**Code list responsible agency code** **92 Assigned by buyer or buyer's agent** Code specifying the agency responsible for a code list.	`:92`
3224	O	an..256	**Adress Data of the point of discharge** Name of place/location, other than city name. In addition to the short description of the point of discharge in DE 3225, the address data of the point of discharge is transmitted here as text. The details are separated with a semicolon according to the following scheme: Name;Street1;Street2;District;Postcode;City; Country. This information may differ from the address data in the NAD+ST if the point of discharge is outside the factory premises.	`:Freiberg'`

Comment:

Example: `LOC+7+D::92:Freiberg'`

© Volkswagen Aktiengesellschaft

SG6	Status R MaxOcc 9999	**Ship to level**
SG7	Status R MaxOcc 1	**Ship to**
SG8	Status O MaxOcc 1	**DUNS number**
RFF	No 18 Status M MaxOcc 1	**DUNS number**

	St	Format	Usage	Example
RFF				**RFF**
C506	M		**Reference**	
1153	M	an..3	**Reference code qualifier** **ANK Reference number assigned by third party**	**+ANK**
1154	R	an..9	**Reference identifier** DUNS number	**:321549214'**

Comment: This segment can be used to transmit the DUNS number in addition to the customer number or the supplier number-

Example: **RFF+ANK:321549214'**

© Volkswagen Aktiengesellschaft

SG6	Status R MaxOcc 9999	**Ship to level**
SG12	Status R MaxOcc 9999	**Scheduled Article Details**
LIN	No 19 Status M MaxOcc 1	**Article number assigned by the buyer.**

	St	Format	Usage	Example
LIN				`LIN`
1082	O	an..6	**Line item identifier**	`+1`
1229	N		Not used	`+`
C212	R		**Item number identification**	
7140	R	an..35	**Item identifier** Part number, assigned by the buyer	`+9GT.863.411.B`
7143	R	an..3	**Item type identification code** **IN Buyer's item number**	`:IN'`

Comment: An article required by the buyer, which is scheduled to be delivered. All other segments in the detail section following the LIN segment refer to the line item.

Example: `LIN+1++9GT.863.411.B:IN'`

© Volkswagen Aktiengesellschaft

SG6	Status R MaxOcc 9999	**Ship to level**
SG12	Status R MaxOcc 9999	**Scheduled Article Details**
PIA	No 20 Status O MaxOcc 1	**Articel number assigned by the seller**

	St	Format	Usage	Example
PIA				PIA
4347	M	an..3	**Product identifier code qualifier** **1 Additional identification**	+1
C212	M		**Item number identification**	
7140	R	an..35	**Item identifier** Article number assigned by the seller.	+HZOK3
7143	R	an..3	**Item type identification code** **SA Supplier's article number** The listed codes are applicable also to the DE 7143 in the following repetitions of CDE C212.	:SA'

Comment:

Example: `PIA+1+HZOK3:SA'`

© Volkswagen Aktiengesellschaft

SG6	Status R MaxOcc 9999	**Ship to level**
SG12	Status R MaxOcc 9999	**Scheduled Article Details**
IMD	No 21 Status O MaxOcc 10	**Item short description**

	St	Format	Usage	Example
IMD				`IMD`
7077	O	an..3	**Description format code** **F Free-form** Code specifying the format of a description.	`+F`
C272	N			
7081	N		Not used	`+`
C273	R		**Item description**	
7009	O	an2	**Item description code** Code indicating the usage (status) of an article using codes from JAI code list JAI004. **11 Production** **12 Sparepart** **13 Production and sparepart** **14 Try-out** **15 Pilot** **16 Additional requirement** **17 Initial sample** **18 Sample** **19 Other**	`+11`
1131	N		Not used	`:`
3055	O	an..3	**Code list responsible agency code** **272 Joint Automotive Industry agency**	`:272`
7008	O	an..256	**Item description** The short name or description of an article or service in plain text.	`:Außenspiegel`
7008	O	an..256	**Item description** The short name or description of an article or service in plain text.	`:`
3453	O	an..3	**Language name code** Code specifying the language name. Use ISO 639-1988.	`:DE'`

Comment:

Example: `IMD+F++11::272:Außenspiegel::DE'`

© Volkswagen Aktiengesellschaft

SG6	Status R MaxOcc 9999	**Ship to level**
SG12	Status R MaxOcc 9999	**Scheduled Article Details**
LOC	No 22 Status O MaxOcc 1	**Consumption point**

	St	Format	Usage	Example
LOC				LOC
3227	M	an..3	**Location function code qualifier** 159 - Consumption point **159 Additional internal destination** **7 Place of delivery** Code 7 is tranmitted only in call-offs of Porsche AG	+159
C517	R		**Location identification**	
3225	O	an..35	**Location name code** Identifier / code specifying the name of a location.	+7608SWIJ1VERKU
1131	N		Not used	:
3055	O	an..3	**Code list responsible agency code** **92 Assigned by buyer or buyer's agent** Code specifying the agency responsible for a code list.	:92
3224	O	an..256	**Location name** Name of place/location, other than city name.	:'

Comment: The consumption point marks a specific, a part firmly assigned stock location. It is a completing information to the part number with.

Example: `LOC+159+7608SWIJ1VERKU::92'`

© Volkswagen Aktiengesellschaft

SG6	Status R MaxOcc 9999	**Ship to level**
SG12	Status R MaxOcc 9999	**Scheduled Article Details**
FTX	No 23 Status O MaxOcc 5	**Article text**

	St	Format	Usage	Example
FTX				`FTX`
4451	M	an..3	**Text subject code qualifier** **LIN Line item**	`+LIN`
4453	N		Not used	`+`
C107	N			
4441	N		Not used	`+`
C108	R		**Text literal**	
4440	M	an..256	**Free text** A line of plain, non-structured text information.	`+Sonderlackierung`
4440	O	an..256	**Free text** see 4440#1	`:`
4440	O	an..256	**Free text** see 4440#1	`:`
4440	O	an..256	**Free text** see 4440#1	`:`
4440	O	an..256	**Free text** see 4440#1	`:`
3453	O	an..3	**Language name code** Code specifying the language name. Use ISO 639-1988.	`+DE'`

Comment:

Example: `FTX+LIN+++Sonderlackierung+DE'`

© Volkswagen Aktiengesellschaft

SG6	Status R MaxOcc 9999	**Ship to level**
SG12	Status R MaxOcc 9999	**Scheduled Article Details**
FTX	No 24 Status O MaxOcc 5	**General information text**

	St	Format	Usage	Example
FTX				**FTX**
4451	M	an..3	**Text subject code qualifier** **AAI General information**	**+AAI**
4453	N		Not used	**+**
C107	N			
4441	N		Not used	**+**
C108	R		**Text literal**	
4440	M	an..256	**Free text** A line of plain, non-structured text information.	**+Mustertext**
4440	O	an..256	**Free text** see 4440#1	**:**
4440	O	an..256	**Free text** see 4440#1	**:**
4440	O	an..256	**Free text** see 4440#1	**:**
4440	O	an..256	**Free text** see 4440#1	**:**
3453	O	an..3	**Language name code** Code specifying the language name. Use ISO 639-1988.	**+DE'**

Comment: General information text

Example: **FTX+AAI+++Mustertext+DE'**

© Volkswagen Aktiengesellschaft

SG6	Status R MaxOcc 9999	**Ship to level**
SG12	Status R MaxOcc 9999	**Scheduled Article Details**
SG13	Status R MaxOcc 1	**Order number**
RFF	No 25 Status M MaxOcc 1	**Order number**

	St	Format	Usage	Example
RFF				RFF
C506	M		**Reference**	
1153	M	an..3	**Reference code qualifier** **ON Buyers order number** Th order number / frame contract number is normally not the order number of the purchasing department! The order number is a key reference of the call-off. It is assigned by the ERP system.	+ON
1154	R	an..17	**Reference identifier**	:0000006'

Comment:

Example: `RFF+ON:0000006'`

No = Consecutive segment number in the guide, MaxOcc = Maximum occurency of the segment/groups, St = Status (M/R=Mandatory/Required, C/O=Optional, D=Depending, A=Advised, N=Not used)

© Volkswagen Aktiengesellschaft

SG6	Status R MaxOcc 9999	**Ship to level**
SG12	Status R MaxOcc 9999	**Scheduled Article Details**
SG13	Status R MaxOcc 1	**Delivery instruction number new**
RFF	No 26 Status M MaxOcc 1	**Delivery instruction number new**

	St	Format	Usage	Example
RFF				**RFF**
C506	M		**Reference**	
1153	M	an..3	**Reference code qualifier** **AAN Delivery schedule number**	**+AAN**
1154	R	an..17	**Reference identifier** Unique identifier of a document. Synonym: document number	:000000002'

Comment:

Example: **RFF+AAN:**000000002'

© Volkswagen Aktiengesellschaft

SG6	Status R MaxOcc 9999	**Ship to level**
SG12	Status R MaxOcc 9999	**Scheduled Article Details**
SG13	Status R MaxOcc 1	**Delivery instruction number new**
DTM	No 27 Status O MaxOcc 1	**Delivery instruction date**

	St	Format	Usage	Example
DTM				DTM
C507	M		**Date/time/period**	
2005	M	an..3	**Date or time or period function code qualifier** **171 Reference date/time**	+171
2380	R	an..35	**Date or time or period text** Date on which a document or business signal was issued.	:20040528
2379	O	an..3	**Date or time or period format code** **102 CCYYMMDD**	:102'

Comment:

Example: DTM+171:20040528:102'

© Volkswagen Aktiengesellschaft

SG6	Status R MaxOcc 9999	**Ship to level**
SG12	Status R MaxOcc 9999	**Scheduled Article Details**
SG13	Status R MaxOcc 1	**Delivery instruction number old**
RFF	No 28 Status M MaxOcc 1	**Delivery instruction number old**

	St	Format	Usage	Example
RFF				`RFF`
C506	M		**Reference**	
1153	M	an..3	**Reference code qualifier** **AIF Previous delivery instruction number**	`+AIF`
1154	R	an..17	**Reference identifier** For call-offs without a previous call-off number "000000000" is always transmitted.	`:000000001'`

Comment:

Example: `RFF+AIF:000000001'`

© Volkswagen Aktiengesellschaft

SG6	Status MaxOcc	R 9999	**Ship to level**
SG12	Status MaxOcc	R 9999	**Scheduled Article Details**
SG13	Status MaxOcc	R 1	**Delivery instruction number old**
DTM	No Status MaxOcc	29 O 1	**Delivery instruction date**

	St	Format	Usage	Example
DTM				DTM
C507	M		**Date/time/period**	
2005	M	an..3	**Date or time or period function code qualifier** **171 Reference date/time**	+171
2380	R	an..35	**Date or time or period text** Date on which a document or business signal was issued.	:20040528
2379	O	an..3	**Date or time or period format code** **102 CCYYMMDD**	:102'

Comment:

Example: DTM+171:20040528:102'

© Volkswagen Aktiengesellschaft

SG6	Status R MaxOcc 9999	**Ship to level**
SG12	Status R MaxOcc 9999	**Scheduled Article Details**
SG14	Status O MaxOcc 1	**Article related contact information**
CTA	No 30 Status M MaxOcc 1	**Contact information**

	St	Format	Usage	Example
CTA				`CTA`
3139	R	an..3	**Contact function code** **SC Disponent / Scheduling contact**	`+SC`
C056	R		**Department or employee details**	
3413	O	an..17	**ID of the Material planner** ID of the Material planner	`+NA4FA`
3412	O	an..35	**Name of material planner.** Name des Disponenten.	`:Franz Meier'`

Comment: Article related information that identifies the contact person or department responsible for the scheduling of deliveries. This contact may change from item to item and is therefore related to the scheduled article level rather than to the ship-to level.

Example: `CTA+SC+NA4FA:Franz Meier'`

© Volkswagen Aktiengesellschaft

SG6	Status R MaxOcc 9999	**Ship to level**
SG12	Status R MaxOcc 9999	**Scheduled Article Details**
SG14	Status O MaxOcc 1	**Article related contact information**
COM	No 31 Status O MaxOcc 5	**Communication contact**

	St	Format	Usage	Example
COM				COM
C076	M		**Communication contact**	
3148	M	an..100	**Communication address identifier** Telephone number, fax number or email address	+?+49-5361-933000
3155	M	an..3	**Communication address code qualifier** **EM Electronic mail** **FX Telefax** **TE Telephone**	:TE'

Comment:

Example: COM+?+49-5361-933000:TE'

© Volkswagen Aktiengesellschaft

SG6	Status MaxOcc	R 9999	**Ship to level**
SG12	Status MaxOcc	R 9999	**Scheduled Article Details**
SG16	Status MaxOcc	O 1	**Cumulative quantity received**
QTY	No Status MaxOcc	32 M 1	**Cumulative quantity received**

	St	Format	Usage	Example
QTY				QTY
C186	M		**Quantity details**	
6063	M	an..3	**Quantity type code qualifier** Code 70 - cumulative quantity received (taking into account the last received shipments) = German abbreviation EFZ **70 Cumulative quantity received**	+70
6060	R	n..15	**Quantity** Cumulative quantity	:100000
6411	O	an..8	**Measurement unit code** Code specifying the unit of measurement, use UN/ECE Recommendation 20, Common code. **C62 one** **PCE** **SET set** **MTR metre** **MTK square metre** **MTQ cubic metre** **LTR litre** **TNE tonne (metric ton)** **KGM kilogram** **KMT** PCE and C62 are ynonymous for piece	:PCE'

Comment:

Example: QTY+70:100000:PCE'

© Volkswagen Aktiengesellschaft

SG6	Status R MaxOcc 9999	**Ship to level**
SG12	Status R MaxOcc 9999	**Scheduled Article Details**
SG16	Status O MaxOcc 1	**Cumulative quantity received**
DTM	No 33 Status O MaxOcc 2	**Cumulative quantity date(s)**

	St	Format	Usage	Example
DTM				DTM
C507	M		**Date/time/period**	
2005	M	an..3	**Date or time or period function code qualifier** **51 Cumulative quantity start date**	+51
2380	R	an..35	**Date or time or period text** Start date of a given period	:20050101
2379	O	an..3	**Date or time or period format code** **102 CCYYMMDD**	:102'

Comment: The date is only sent if there have already been delivery call-offs for the part number before the last annual inventory. For most group plants, the inventory takes place at the end of October of each year. If a part number is sent for the first time afterwards, no date is transmitted here.

Example: `DTM+51:20050101:102'`

© Volkswagen Aktiengesellschaft

SG6	Status R MaxOcc 9999	**Ship to level**
SG12	Status R MaxOcc 9999	**Scheduled Article Details**
SG16	Status O MaxOcc 1	**Cumulative quantity received at the end of the previous period (set back to zero)**
QTY	No 34 Status M MaxOcc 1	**Cumulative quantity received at the end of the previous period (set back to zero)**

	St	Format	Usage	Example
QTY				QTY
C186	M		**Quantity details**	
6063	M	an..3	**Quantity type code qualifier** **72 Cumulative quantity received end of prior year**	+72
6060	R	n..15	**Quantity** Cumulative quantity	:50000
6411	O	an..8	**Measurement unit code** Code specifying the unit of measurement, use UN/ECE Recommendation 20, Common code. **C62 one** **PCE** **SET set** **MTR metre** **MTK square metre** **MTQ cubic metre** **LTR litre** **TNE tonne (metric ton)** **KGM kilogram** **KMT** PCE and C62 are ynonymous for piece	:PCE'

Comment: The transmission of the Cumulative quantity received at the end of the previous period (set back to zero) is optional.

Example: QTY+72:50000:PCE'

© Volkswagen Aktiengesellschaft

SG6	Status R MaxOcc 9999	**Ship to level**
SG12	Status R MaxOcc 9999	**Scheduled Article Details**
SG16	Status O MaxOcc 1	**Cumulative quantity received at the end of the previous period (set back to zero)**
DTM	No 35 Status O MaxOcc 2	**Cumulative quantity date until set back to zero**

	St	Format	Usage	Example
DTM				DTM
C507	M		**Date/time/period**	
2005	M	an..3	**Date or time or period function code qualifier** **52 Cumulative quantity end date**	+52
2380	R	an..35	**Date or time or period text** End date of a given period	:20050101
2379	O	an..3	**Date or time or period format code** **102 CCYYMMDD**	:102'

Comment:

Example: DTM+52:20050101:102'

© Volkswagen Aktiengesellschaft

SG6	Status R MaxOcc 9999	**Ship to level**
SG12	Status R MaxOcc 9999	**Scheduled Article Details**
SG16	Status O MaxOcc 3	**Most recent arrival(s) of goods**
QTY	No 36 Status M MaxOcc 1	**The most recent arrival(s) of goods**

	St	Format	Usage	Example
QTY				QTY
C186	M		**Quantity details**	
6063	M	an..3	**Quantity type code qualifier** **194 Received and accepted**	+194
6060	M	n..15	**Quantity** The quantity received and booked by the ship-to party.	:10000
6411	O	an..8	**Measurement unit code** Code specifying the unit of measurement, use UN/ECE Recommendation 20, Common code. **C62 one** **PCE** **SET set** **MTR metre** **MTK square metre** **MTQ cubic metre** **LTR litre** **TNE tonne (metric ton)** **KGM kilogram** **KMT** PCE and C62 are ynonymous for piece	:PCE'

Comment:

Example: QTY+194:10000:PCE'

© Volkswagen Aktiengesellschaft

SG6	Status R MaxOcc 9999	**Ship to level**
SG12	Status R MaxOcc 9999	**Scheduled Article Details**
SG16	Status O MaxOcc 3	**Most recent arrival(s) of goods**
DTM	No 37 Status C MaxOcc 2	**Date/time/period**

	St	Format	Usage	Example
DTM				DTM
C507	M		**Date/time/period**	
2005	M	an..3	**Date or time or period function code qualifier** **50 Goods receipt date/time**	+50
2380	C	n8	**Date or time or period text**	:20130701
2379	C	an..3	**Date or time or period format code** **102 CCYYMMDD**	:102'

Comment:

Example: DTM+50:20130701:102'

© Volkswagen Aktiengesellschaft

SG6	Status R MaxOcc 9999	**Ship to level**
SG12	Status R MaxOcc 9999	**Scheduled Article Details**
SG16	Status O MaxOcc 3	**Most recent arrival(s) of goods**
SG17	Status O MaxOcc 1	**Last received delivery note number**
RFF	No 38 Status M MaxOcc 1	**Last received delivery note number**

	St	Format	Usage	Example
RFF				**RFF**
C506	M		**Reference**	
1153	M	an..3	**Reference code qualifier** **AAU Despatch note number**	**+AAU**
1154	R	n..8	**Reference identifier** Unique identifier of the despatch advice	**:12345'**

Comment:

Example: **RFF+AAU:12345'**

© Volkswagen Aktiengesellschaft

SG6	Status R MaxOcc 9999	**Ship to level**
SG12	Status R MaxOcc 9999	**Scheduled Article Details**
SG16	Status O MaxOcc 3	**Most recent arrival(s) of goods**
SG17	Status O MaxOcc 1	**Last received delivery note number**
DTM	No 39 Status O MaxOcc 1	**Delivery note date**

	St	Format	Usage	Example
DTM				DTM
C507	M		**Date/time/period**	
2005	M	an..3	**Date or time or period function code qualifier** **171 Reference date/time**	+171
2380	R	an..35	**Date or time or period text** Date, on which a document or business signal was issued.	:20120831
2379	O	an..3	**Date or time or period format code** **102 CCYYMMDD**	:102'

Comment:

Example: DTM+171:20120831:102'

© Volkswagen Aktiengesellschaft

SG6	Status MaxOcc	R 9999	**Ship to level**
SG12	Status MaxOcc	R 9999	**Scheduled Article Details**
SG18	Status MaxOcc	D 999	**Scheduling data**
SCC	No Status MaxOcc	40 M 1	**Scheduling data**

	St	Format	Usage	Example
SCC				SCC
4017	M	an..3	**Delivery plan commitment level code** **4 Planning/forecast** **10 Immediate** **24 Reference to commercial agreement between partners** Code indicating the level of commitment of a delivery instruction. Code 10 - immediate requirements - to be used with SG19.QTY+84. Immediate requirements are additional, they have not been tranmitted as demand in any previous delivery instruction. Code 24 does not transmit any distinction related to the status of an order as binding or non-binding. The contract between the supplier and VOLKSWAGEN procurement makes that determination. For the purposes of mapping the raw data in cases where an ERP system necessitates a binding/non-binding decision, the supplier's ERP system should interpret daily quantities as firm orders and periodic quantities as forecasts. In the end, the supplier is responsible for maintaining an understanding of the actual "legal" contracts and how those are represented by the data received in their ERP system.	+24'

Comment: Information providing dates/times/periods of deliveries, quantities, and additional references valid for the item.
Delivery Date and Delivery Period shall be used mutually exclusive.
Spare parts and few series parts
BGM+241:::PAG-LAB+231234+9' = Delivery call-off
DTM+2 = Date of arrival
SCC+24 or SCC+10

Preview data series
BGM+236:::PAG-LAB+231234+9' = delivery schedule
DTM+2 = Date of arrival as well as DTM+64= earliest date of arrival and DTM+63 = latest date of arrival
SCC+4

Series, usually with preceding delivery preview BGM+236
BGM+242:::PAG-FAB+231234+9' = Detailed call-off
DTM+2 = Date of arrival
SCC+24 or SCC+10

Example: SCC+24'

© Volkswagen Aktiengesellschaft

SG6	Status MaxOcc	R 9999	**Ship to level**
SG12	Status MaxOcc	R 9999	**Scheduled Article Details**
SG18	Status MaxOcc	D 999	**Scheduling data**
SG19	Status MaxOcc	R 999	**Scheduled quantity**
QTY	No Status MaxOcc	41 M 1	**Quantity**

	St	Format	Usage	Example
QTY				QTY
C186	M		**Quantity details**	
6063	M	an..3	**Quantity type code qualifier** **113 Quantity to be delivered** **84 Urgent delivery quantity** **73 Outstanding quantity** 84 - immediate requirement; the DTM segment should contain the date of the delivery instruction. 73 - Outstanding quantity, in combination with DTM+2. Is currently used for processes with Porsche AG only.	+113
6060	M	n..15	**Quantity** Quantity scheduled by the buyer (material release issuer) to be delivered at a specified point in time or within a period.	:4500
6411	O	an..8	**Measurement unit code** Code specifying the unit of measurement, use UN/ECE Recommendation 20, Common code. **C62 one** **PCE** **SET set** **MTR metre** **MTK square metre** **MTQ cubic metre** **LTR litre** **TNE tonne (metric ton)** **KGM kilogram** **KMT** PCE und C62 sind Synonym für Stück. PCE and C62 are ynonymous for piece	:PCE'

Comment: If no demands within the planning horizon are available in the pre-system QTY+113 is sent with quantity 0 (zero).

Example: QTY+113:4500:PCE'

© Volkswagen Aktiengesellschaft

SG6	Status MaxOcc	R 9999	**Ship to level**
SG12	Status MaxOcc	R 9999	**Scheduled Article Details**
SG18	Status MaxOcc	D 999	**Scheduling data**
SG19	Status MaxOcc	R 999	**Scheduled quantity**
DTM	No Status MaxOcc	42 R 2	**Scheduled date(s)**

	St	Format	Usage	Example
DTM				DTM
C507	M		**Date/time/period**	
2005	R	an..3	**Date or time or period function code qualifier** **2 Delivery date/time, requested** **10 Shipment date/time, requested** **63 Delivery date/time, latest** **64 Delivery date/time, earliest**	+2
2380	R	an..35	**Date or time or period text** Date / period	:20120906
2379	O	an..3	**Date or time or period format code** **102 CCYYMMDD** **203 CCYYMMDDHHMM**	:102'

Comment: For fixed dates/times the qualifiers 2 and 10 are used (and must comply with the qualifier of the DTM segment named "Type of instruction" in the header of this message guideline). For periods (e.g. for forecast data related to a week or month) the qualifiers 63 an 64 are used, no matter whether they relate to pick-up process or to delivery at destination.

Example: `DTM+2:20120906:102'`

© Volkswagen Aktiengesellschaft

UNT

No 43
Status M
MaxOcc 1

Message trailer

	St	Format	Usage	Example
UNT				`UNT`
0074	M	n..6	**Number of segments in the message**	`+49`
0062	M	an..14	**Message reference number** Repetition of the value in UNH, DE 0062	`+123456'`

Comment:

Example: `UNT+49+123456'`

© Volkswagen Aktiengesellschaft

UNZ

No 44
Status M
MaxOcc 1

Interchange trailer

	St	Format	Usage	Example
UNZ				UNZ
0036	M	n..6	**Interchange control count** Number of messages in the interchange.	+1
0020	M	an..14	**Interchange control reference** Repetition of the value transmitted in UNB data element 0020.	+144659'

Comment:

Example: UNZ+1+144659'

© Volkswagen Aktiengesellschaft